


# BOHRFUTTER & ZENTRIERSPITZEN

Katalog



# Tooling



Contents	L.02
Lathe centres	L.03
Drill chucks	L.04

Inserts
General turning
Aluminium wheel turning
Automatic lathes
Ceramic tools
Parting and grooving
Threading
Drills
Cartridges
Brazed tools
Tooling

**Lathe centres**

**RC**  
  
Page L.03

**RN**  
  
Page L.03





**Drill chucks**

**SP-B**  
Keyless drill chucks  
  
Page L.04


**SPX-B**  
Keyless drill chucks  
  
Page L.04

**CK-B**  
Keyless drill chucks  
  
Page L.05






**Characteristics:**  
Revolving lathe centres



<b>RC</b>		<b>K</b>	<b>D</b>	<b>d</b>	<b>d1</b>	<b>L1</b>	<b>L2</b>	<b>L</b>	<b>kg</b>
Ref.	<b>R-300-C</b>	MK3	49	22	10	38	47	174	0,900
	<b>R-400-C</b>	MK4	63	30	11	46	52	207	1,950
	<b>R-500-C</b>	MK5	85	35	18	64	64	266	4,000



**Characteristics:**  
Revolving lathe centres



<b>RN</b>		<b>K</b>	<b>D</b>	<b>d</b>	<b>L1</b>	<b>L2</b>	<b>L</b>	<b>kg</b>
Ref.	<b>R-200-N</b>	MK2	42	18	24	35	128	0,500
	<b>R-300-N</b>	MK3	49	22	29	47	163	0,850
	<b>R-400-N</b>	MK4	63	30	35	52	196	1,900
	<b>R-500-N</b>	MK5	85	35	48	64	250	3,950

Inserts

General turning

Aluminium wheel turning

Automatic lathes

Ceramic tools

Parting and grooving

Threading

Drills


Cartridges

Brazed tools

Tooling



**Characteristics:**  
Keyless drill chucks, precision class  
DIN 238




## SP-B

Ref.		d	K	Lmin	Lmax	D	Kg
SP08-B12		0-8	B12	67	67	37	0,450
SP10-B12		0-10	B12	81	81	41	0,700
SP10-B16		0-10	B16	81	81	41	0,650
SP13-B16		1-13	B16	88	88	46	0,950
SP16-B16		3-16	B16	95	95	55	1,250
SP16-B18		3-16	B18	95	95	55	1,250



**Characteristics:**  
Key drill chucks, with supplementary gripping tongue, precision class  
DIN 238




## SPX-B


Ref.		d	K	Lmin	Lmax	D	Kg
SPX08-B12		0-8	B12	67	67	37	0,450
SPX13-B16		1-13	B16	88	88	46	1,250
SPX16-B16		3-16	B16	95	95	55	0,950
SPX16-B18		3-16	B18	95	95	55	1,250



**Characteristics:**  
Keyless drill chucks, standard class



## CK-B

Ref.		d	K	Lmin	Lmax	D	 Kg
	<b>CK08-B12</b>	0-8	B12	67	67	37	0,350
	<b>CK10-B12</b>	0-10	B12	81	81	41	0,400
	<b>CK13-B16</b>	1-13	B16	88	88	46	0,700
	<b>CK16-B16</b>	3-16	B16	95	95	55	1,100
	<b>CK16-B18</b>	3-16	B18	95	95	55	1,100
	<b>CK20-B18</b>	5-20	B18	127	140	64	2,250